WorldCom Late-Filed Exhibit 1 Investigation Regarding Illinois Bell Section 271 Compliance Docket No. 01-0662

This exhibit contains the following:

"Existing Rate Matrix" - Redacted March 20, 1998 matrix entitled "Total Costs of Unbundled Network Elements (UNEs) Ameritech Illinois"

This exhibit contains a total of five (5) pages.

		A Section 1 2 BATE ZONE A NEW COLUMN			ा गांचार व	AND MANAGEMENT AND TO BE STORED TO THE STREET				O TANK STORY	7.9	This year	MATERIA 21	ALTO EST HOMMECURANIO EN ANOTES FARE				
Une I		TIELDIO	MARED	1	TOTAL	1770	pe great	COMMO	Trotal	Ancial L	A CAN	Per II		the fall of		· 10 10 10 10 10 10 10 10 10 10 10 10 10		
	1960年的特別的 1960年的 1960年 1	TELLING	LOCETS	COSTS	COUTS	THUNG	a corre	V colta	COSTS	191.00	.00e18)	COSTS	1015	Talka.	MAHE	SOME T		
ops.	Dask Grayesa		1	ĺ	2 59				7.97	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		1	11.40		400010	2000 61 50		
	Basic Residence	İ		i.	2 59				7 07	·			11.40	i -	-	f		
	Ground Start				2 64		1	ľ	7 84	il .	İ		12 30	1.0	l	-		
		į.	1		ţ 2 67	į			0.0	ı l] .		12 72	1 -	-	ł		
	ERL			ł	2 95	1		1	12.18	ıl .	i		17.92			-		
	4 Wee Analog ADSL 2WHD8L 2W Compashia		i	1	4 08			1	18.42	·l	!		26 87	B -		 		
	ADSL 2WMHDSL 2W Compassia		1	1 3	2 50				7 07	· [[11 40	1		+		
	160 Kbps (ISDN)		ŀ		4 08	1			18 82	1	İ	[.	20.63	ļ · ·		ļ <u>†</u>		
	84 Kpbe			1	2 71	}	ļ		8 68	·[.		,	13.66	i :	•	1		
	1 544 Mbps				62 12		ļ.	1	61.34	1			62 36	i –		† † ·-		
	Service Coord Fee per account, per CO		1	1	73 46			j	81.45	1			6158	1				
	Bus Service Order - Eslablish - Interim Rate Per Second Interim Order	ł	ł		1 15		•			ľ.				1 1		ļ —		
	Bus Service Order- Add/Change - Interim Rate For Second Interim Order			1 1					ļ		L .			i i				
	Bus Line Connection			1		}			\	.	, ,		ļ					
-	Res Service Order- Establish - Interim Rate Per Second Interim Order			1 1		-				1 1		1.	ļ					
	Res Service Order: Add/Change - Interior Rate Par Second Interior Order	•	'							i i			ļ]				
	Res Line Connection			1 1	·			ł		l		Į.	<u> </u> .	1		' I		
Switching	Basic Port - Interim Rate Per Second Interim Order	ļ			\$ 01				-				<u> </u>		Ì	'		
	Ground Start Port	1		l i	5 78		·							1		, [
	COPTS - Com Port]	3 76			}]								
	ISDN - Direct Port			1]	28 42		···-											
[ISDN - Telephone Number, per Number		'	1 1	801			1	1				<u></u>			1		
i	OID Port	Ì		!	10 03													
ľ	DID Pert -Telephone Number, per Number				0 01							·		! !				
ŀ	DID Port - Add/Resrange Each Termination		1	1						l								
į.	ISDH Prime Port			! .	155 90		• • •	į	l i					[1.		
je	ISDN Prime Port - Telephone Number, per Number		- I	1 18 10	0 01								i	1.	i			
į.	ISDN Prime Port - Add or Change Channels		ĺ		***									i l		i		
	ADTS Port				102 08													
į.	Contra Basic Port	1		l i	9 55													
	Centres (BDH - De Port	,	- 1	' 1	42 07													
je	Centres Atten Console Port			- 4	10 19					[·-··								
(Centes Common Block	. 1	- 1	- 1				ļ -								1		
į.	Contrax System Faatures				364 33			· ·						-		. []		
(Central EKL Port		ļ	,	27 44									_	_ [. [
L	ocal Switching Trunk Port	- 1	1	!	56.76					·				l. [[
F	ort Conversion	İ	t	<u>}</u>										l				
	Service Coordination			1										-				
	Custom Raufing - per new LCC, per switch	j	1												.			
	ervice Order-Initial-Line Port	.		1				· · ·		·				-		١.		
	endos Order-Initial-Trunk Port	· [T T	·		— -j												
	ervice Order - Add/Chg	_ 1																
	ervice Order - Record	· [·	·												ļ		
1 -	ine Connection	ľ		ļ.										ľ				
	TX Cng & Rearrange per system feeture per occ.		j	1									i	:	Į.	1.		
	TX Feakee Activation per occasion	_	. 1]		• • • • • • •				· · · · · · · · · · · · · · · · · · ·	····				1	1		
	Ming Development per cust, per switch	. [1	i i											ļ			
	satormer Training		ľ	İ			·†			· · · · · · · · · · · · · · · · · · ·		·			i			
	ally Usage Feed	İ		- 1	0.000918									. .	. i.			
Le	ocal Switching Usage	- 1	1	ľ	0.000000				· · · - · · · · · · · · · · · · · · · ·					_	. 1	. 1		

Land Barra		RATE ZONE A				RATE ZONE B				PARTE SONE COLLEGE				PENIA HONRECURRING CHARGE VICE			
	建筑位于2008年上海市区域设置的	TELHO	MARED COOTS	COMMON	TOTAL	TEURC	BHARED COSTS	COMMON	TOTAL	TELLINE	SHARED		nt Vii	614.57		Common	Tot
Ol/Rec Comp	End Office Local Termination (ES)			· .	0 901745							1,000	oceis.	Lampards	P COSTS	100e18	coe
	Combined EO/Tandem 13 117 8 11F			•	0.005187		1						· · · · · ·				· -
	tendem Switching (ES)/min				0 001077	i				ŀ	İ	ł	ļ				
	landem Transport Term (CTT)	ļ.		'	0.000201						! -	·- ·				ļ	
	Tendern Transport Facety Mileage (L.1F)		<u> </u>	<u>i</u>	0 000013					,			ł				
ereffice	OSI Enhance Facility, per POT	I	:		73 46			1	61 45	;		 	61 56	 			┼
ersport	Interoffice Transport DS1 CMT, per term	ŀ	:		17 15							f			ŀ	ŀ	
CHING S	Intereffice Transport DS1 CM, per mela	1	[1 88			1		1		١.			ł	i	
	D31 Clear Channet Capability per circuit arranged									İ	·	1		•	i,	,	١.
	DS1 Ne Voice CO Multiplesing	1	!		275 34		į.	Ī			i '	†-		· ·		ī	4
	Interoffice Transport DS3 CMT, per term		1		146 93												
	Interoffice Transport DSJ CM per mile			1	29 81		i "					ľ		-		ł	
	Interoffice Transport DS3 Entrance Facebas		1	1	686 47	1	1		768 77	i			752 67	İ		ŀ	
	OS3 to DS1 CO Multiplezing per arrangement		i		404 30			1		}			7	-		ł	
	OC 3 Entrence Facety per POT	ļ			311.34									l			
	OC-3 Interoffice Mileage Termination per POT	İ	ļ		342 89							1	·		-	ł	
	OC 3 Interoffice Mileage - per mile		ļ	İ	208 80									<u></u>			-
	OC 1 Add/Drap Millipfezing per atrangement		}		542 03		· i	·		-	•	† †		1			· · · -
	OC 3 Add/Drap Function per DS3 Add at Drap		;		105 15											}	
	PC 3 Add/Disp Function per DS1 Add at Drap	İ			32 48			1			ľ	1		!			}
	OC 3 Cross Connection of Services OC 3 to OC 3 Cross Connect per phount	ĺ	1	. [76 41		i					[Ì			
,	OC-3 1-1 Protection per OC-3 Englance Facility				41 59			1							1		
	OC-3 1+1 Protection with Cable Survivability per OC-3 Enerance Facility	}	!		41 59		ł	1						ļ			2.5
ļ	OC-3 1+1 Protection with Cable Survivability per OC-3 Ent Facility/Ot Route inde OC-12 Entrance Facility per POT			.	62 34		1	į							1		"
	OC 12 Interaffice Mileage Termination per POT				\$47.79			. [
	OC-12 Intereffice Mileage - per mile			. }	\$71 3a		1	- 1						-			·
	OC-12 Add/Drop Mittplexing - see attangement			i	376 16					.]						•	1
	OC-12 Add/Drop Function per OC-3 Add or Drop		į		637 78	[- 1		
	OC-12 Add/Orop Function per D\$3 Add or Drop			1	148 47]	.	1					/
	OC-12 Cross Connection of Services OC-12 to OC-12 Cross Connect - per circuit			i	31 77	,	- 1	- 1	[-		-		•	†
	OC-12 1+1 Protection per OC-12 Enhance Facality		ļ		405 01			- 1		_]	. 1					•	1
	OC-12 1+1 Protection with Cable Sundvability per OC-12 Entrance Facility		ł	i	205 74						. 1	1					
	OC-12 1+1 Protection with Route Survivability per OC-12 Entr Facility/Ob Rts mi				205 74	-	-4				. 1						2.0
	OC-16 Entrance Facility per POT				54 20			- 1				7					
	OC-48 Interoffice Mileage Termination per POT	1		1	2,418.86	- 4	4	1.				Ī					
	DC-18 Interaffice Mileage - per mile	į		1	1,268 31	ł		Į.		.1						•	
	OC-48 Add/Drop Mitiplexing - per arrangement		,		320 69		- 4.	1		. 1	. 1			-	- 1	1	
	DC-48 Add/Drop Function per DC-12 Add or Drop		ŀ	1	724 77			1.		. 1	. j			1	- 1		
	DC-48 Add/Drop Function per OC-3 Add or Drop			- 1	317 08	.	4	1.			.]	1					
	DC-48 Add/Drep Function per DS-3 Add as Drep				146 91	.	4	ļ		. [j]				,	
	CC-48 Cross Connection of Bundees OC-48 to OC-48 Cross Connect - per piccut			ł	49 90		4	1			i	1		ľ			
	C-48 I+1 Protection per OC-48 Entrance Facility		i	- 1	981 34 848 18	.]		4				Ī			1	,	ļ
	C-48 1+1 Protection with Cable Survivability per OC-48 Entrance Facility			-	448 10	- 1	4	1			.]						Ì
	DC 48 1+1 Protection with Route Survivability per OC 48 Ent Facility/Otr Ris no					ļ	}	- 1		1	İ	Ī				į	1,4
	districts alten Charge, per order - DS1 Bervice	ł		- 1	***	1	1		1	-	-	!	1				1
	directs ballon Charge, per order - DS3 Bervice						+	1		ļ	i	ĺ)		4
A	dreinistration Charge, par order - DC-3 Service			1		<u> </u>	4			- 1			l		t		, ,
	drinktshallon Charge, per erder - OC-12 Service			- 1	40.2	· •	<u>-</u> - <u>-</u> - <u>-</u> - <u>-</u> - <u>-</u> - <u>-</u> -	1.		1	i	1			ıļ.	i	1.
	drinklatellon Charge, per order - OC-49 Service	-		 -		. }	+	-		. 4	ļ	- 1	!	j	ı[1:
	resign and CO Connection Charge, per circuit - DS1 Service			1.	•••	- 1	[].		. [l	ļ		i	ıļ	ľ	1:
	retign and CO Connection Charge, per directl - DS3 Bervice	-				· }	} -	ļ.	J-		1			ĺ	4		6
	esign and CO Connection Charge, per circuit - OC-3 Service			ł	[}	- 1				- 1	1	. [J	- 1	i	
	esign and CO Connection Charge, per drout - OC-12 Service	·-·		<u>-</u>		·	ł	ļ			1	1		1		Ī	*
	esign and CO Connection Charge, per pirout - OC-48 Sentce	1:		-			ļ.	- 1		Į	1	- 1	1	ŀ			Š

		1									1					
1882-1883 (1987)		or the type	RATE		कर् है।	30 76 CM			11 60 030	NEW YEAR	SE E PATE	ONE OF		GHAMAGA	CHIEF CHIEF	aid bill hod Bill
Line A		TELMO	BHARED COSTS	COMMON	TOTAL COSTS	Telesc	eures eures	COSTS	TOTAL	清凍機		COMMO	排泄	學報	HXLS	
OF (Con'l)	Cartier Cennection Charge per Termination :031 Service			1100010.		1711	E	ti-conta	17 00019	1 June 5	150414	E POPUL	Scount	THE LOCK	(boers	access 4 cos
	Cerrier Connection Charge per Termination -D\$3 Service	!	1	İ				 	 			 	 			54
	Carrier Connection Charge per Termination -OC-3 Service		1	1	1	'			1				ļ. -		ļ	31
	Carrier Connection Charge per Termination -DC-12 Service		1	1				1		i	 		 	1		81
···	Carrier Connection Charge per Termination -OC-48 Service	_ .	L	İ.					1] - #
ransläng	Tendem Switching per min	,			0.004836								T	Τ.	-	∱ <u> </u>
	Tandem Transport Terminan Tendem Transport Facility/min	,	Ì	,	0 000169			ļ	l	l		I	1		1	1
nbunded	Usage Without Tandem Trunta	- :	-	+ :	0 000093	ļ	 	 	 	 				Ļ.	L.	
ındem	Tandem Trunks (DSI)	,			110 38		ļ		 	·	ļ	ļ	ļ	ļ		
witching	Trunk Features	i			12 43			·						1	1	
	Service Order		•	1	, , , , ,			<u> </u>		1	-	l	 -	.	1	ļ ļ
	Line Connection		İ	Ì						· ·					ł	410
	Service Order - Add/Cng			1.				1					 	İ	ŀ	700
tes &	Pole Allechments (per pole effeched)		[]	,	. 2 18				1	1			 	╀ '	·	† -
indult	Conduit (per fl. of innerduct)		'	۱ ۱	0.62	-							1	-	1	ļ
	innerduct (per R)	_ ;	. !	ļ :	0.41								1	l *	!) : - -
17/STP	Signaling Link (For Both ISUP/TCAP mags)			ļ										Τ ΄	† ·	r
	Port Termination -(For 80th ISUP/TCAP mage) Signal Switching/ISUP mag	. "		!	263 19							ļ	l	1.	,	7
	Signal Transport/ISUP mag			i :	0 000133						l	ļ <u>.</u>]_		(
	Signal Formulation/ISUP mag]	'	1 .	8 800084 0 000451				 	∤		ļ <u>-</u>	ļ	l		l [
	Signal Tendem Switching/15UP mag		ĺ	1 7	0 000219							ļ —		j .		
	Signal Switching/TCAP mag		1		0 000108]		J
	Signal TransperVTCAP mag		•	,	0 000057				† · · · · ·		· ~	·		·-		
	Signal Fermulation/TCAP mag		1)	0 000324						 	l		ļ		
	Orig Point Code/per sys added as shanged	_												·		
	Global Title Address Trans per ave added/changed	_											1	1		
	Fac Based Local STP Conn-8000B Center IO Only		,	1	0 001217									† 1		r
	Fec Based-Lecal STP Conn-8000B Routing Options Fec Based-Reg. STP Conn-8000B Carrier ID Only	1	1	. [0 000234	·								-	1	i ⊨
,	Fac Bass4 Reg. 81P Com: 80008 Routing Options	- 1		! 'J	0 001129											ı
j	Hon-Fac Based-800DB Call Routing Quary	3	,		0 000125 0 002314			<u></u>			:			[_	_	
	Nen Fax Based 80008 Raufing Options	ŀ	í	!	0 000815											
	Fac Bessé Lecal 81P Corn LIDS Validation	• †	. 2	†	0 016151									- 1		, <u> </u>
1	Fac Baked-Local ATP Conn LIDS Transport	ď	I,		0 000132									i		, -
	Fac Based-Local STP Conn-LIDB to Other DBs	- 1	1		0.061778									·		}
	Fac Bassé-Reg. STP Conn-LIDB Velidation	ń	P)		0 016151									· ·		· · · · · · · · · · · · · · · · · · ·
	Fac Baked-Reg STP Conn-LIDB Transport	1	1		0 000020									i -		
	Von-Fac Based - LIDB Validation	4	1		0 018151								 -	1 -	-	, t
	Non-Fae Based - LIDB Transport Non-Fae, Based - LIDB to Other Dalahasas	· ·	Ί		0 000510									1		
	Serv. Cleation Environ (SCE)-Ce. Prov. Geneult, Design and Creation and fech Specialty	- '+	י <u>ין</u> -	. ¦	6 082160											
	SCE Equipment Litage (Company Equipment) for	.	ł	ł										Γ	7	1
	Company Provided Service Logic Testinghe	ŀ	•	ł	. [34
	Company Required - SMS Service Creationfly	1		į	···											11
	Company Required - Platform Access Legic Modifications/for				i										Ţ	11
	Ompany Required - Service Integration Testingths	1	Ì			~~										11
l c	Company Required - Network Implementation/he			ļ		}									ļ	!!
į.	Company Required - Field Testingtu	1														10
įs	lery, Management System (BMS) - Initial Setupity				ļ	· 1		· 1			· 1		-		ĺ	
	lerv. Management System (SMS) - Securit) Setup/cardye) i	·		72 78						 				i	'
3 -	erv. Management System (SMS) - Interactive Access - BFR BASIS ONLY		1							*******					Į	
	ervice Control Point (SCP) Database Storage/MB/me.	ij	- 1		0 266380		1								- 1	1
ļs	erv. Management System (SMS) Database Storage/MS/me:	1			0.133191					,					į	

					DELEVARIATION RATE ZONE BAPTAR A APPAR				L				I.				
17 6 Hou Par.	1981 AVERAGE CONTRACTOR STORY OF THE BOTTON	<u> </u>	RATE	ZONE A	\$1 57.00 cm	1 6 1 5 4 6 5	SI RATE.	ZONE B	11 6	5(11)	A) NATE	COME C	Concessor.	0.84.80	SERIOUS.	تحللة فند	"R 188." /
THE TO	OR WEST TO SERVICE STATE OF THE SERVICE STATE OF TH	TELFOC	BHARED COSTS	CONTON	TOTAL	14.48	SHARED	COMMON	TOTAL	1 100	11.2	como	644	I Marine has de-	Name of Street	11.40.714	E PROPER WAY
Advanced	Signating Nativork Control Center (SNCC) he	-12000	COGIS	LUMIN	Coers :	TELMO	00019	, costs	T. coans	Telac	-Icoars	-C091E	sidoets	Walter.	Cobers!	COSTE	il coet
nempeni	Contrated Translation Group (CTG)/fits		ĺ	ł				l		ļ	l	ļ					82
ratwork .	Network Management Center				1	l	1							1	•	!	102
AIN) (Contal)	Feet (Existing Services with CLEC 95P)		ł	•					l		l	<u> </u>		İ	1	ľ	91.0
,	AIN Announcements per Time Stat / ser Month		1	1											1	Ì	1021
	Existing Services: Cost Per Query		l	ł	1 23		ļ	ļ		I				1	ļ.	1	1
	- Connection at Local ED - Cost Per Query - Alternate Rounding			1		1]"	T .	t	
	- Connection at Local EO - Cost Per Query - AWN/AVN		1	}	0 003435								l	l	ľ	ĺ	
	- Commission at Lecal EO - Cost Per Query - Ameritach Call Control			1	1				ļ <u> </u>				I	ľ	Ť.	1	
	- Connection at Local ED - Cost Per Query - Prime Number				0.004680	l ——			<u> </u>	l		L]	I -	1	ſ	
	- Cornection at Local STP - Cost Per Query - Alternate Rounting		i	j l	0 010274						i .			-		1	ļ
	- Connection at Local STP - Cost Per Query - AWNUAVN			-	0 003126	ļ		ļ		l		l	l	l		1	
	- Connection at Local STP - Cost Per Guery - Ameritach Call Control			! :	0 007778								1	! ~`	t	1	
	- Connection at Local STP - Cost Per Query - Prime Number				0 004425					l	<u> </u>		1	["		1	
	New Services: Cost Par Query				0.009984]	1	i	t	†	
	- Connection at Local EO - Cost Per Guery - Basic TR1188 Converted to New Sec Wo ED		ļ					i				Ī		i .	1.	1	
	- Connection of Local EO - Cost Per Query - Basic TR1188 Converted to New Sec w/ EO				0.001763									1-	į.	t·	
	- Connection of Local STP - Cost Per Query - Basic TR1188 Converted to New Suc and E				0.008900				L					l .	···	i	
	- Connection M Local STP - Cool Per Query - Book TR1188 Converted to New Svc w/ ED		:		0 006595						T			-	r e	ł	
NP Remote	Ported Number (Includes 142 mag)		_	-	8 004537			<u> </u>						1		ŀ	·
AT INTIMAL	1-5 Addrt Call Page			i l	2 47									-	-	-	
	6 90 Addit Call Path				0.06						•			l ·			
	Parted Number Incl 20 Call Paths	ï		1	0.74								i		ŀ	Į.	
	21-10 Add7, Cst Patre	ì			1 41							i :	1	ļ ·	f		
	Service Coord Fee per account, per CO				0 74		·	I						<u> </u>			
	Service Order- Establish			:		·							····- · · -	l ·			
	Une Connection: per 8 ported	Í										·	 	f			1 :::
	Une Connection: per edol pets		,														754
	Ported Number	- 4	_	_]													17.1
	VG Channel Termination	İ		ĺ	0.027613									-	-	-	0.0
	DS1 Channal Termination			ļ	17 42												4.4
,	VG Transport Charge (PBX Gid Start)	i		- 1	112 61												31 4
					2 64				7.84		·	**	12.30	-			371.5
	DST Transport Charge of MF Signaling AVCHS VG Crees Connect	,		1								•					i
	AVOIS DS1 Cross Connect	İ		- 1										- ,		- 1	7
						1											'
	Service Coord. Fee per account, per CO Service Order: Establish	:	i].										-			
		- 1	-	. 1													
	Jervice Establishment- per trunk group service Reamangement	,	i	. !.													112.0
			_	. L	l						· ·		*******				91 0
,	Buey Une Verificators		ŀ	1	0.030758										- 1		29 1
	krey Line Verification Interrupt DS-Mach. Occur Auto/AABS	ļ		[1.094578		1							· ••	-		
		l		. [0.016914												
	28 Manual Occur - (Op. Handled)	İ	ı		0 384474											ļ	
	Normation Call Completion]			0.021832						——— 			-	.	ļ	. ~
7	A	1		Í	0.258218					~ · · · · · · · · · · · · · · · · ·							
	S/DA Front End Branding per Trunk Group	. I.		. [··	· ···		. [ļ	
	ornman Transport/Min, of Use - Interim Rate Per Second Interim Order	ſ	Γ	ľ	0.001340									<u>. </u>	<u>.</u> [1	200 71
report		ì]											:	ĺ	
1		•											- 1	I	1		

1. The SPNP-Direct VG Transport uses a PBX Ground Start loop, therefore the costs listed here equal those calculated for "Ground Start"

2. Costs do not include end office switching or facilities from end office to TOPS. CLEC responsible for trunking to TOPS location. Where rates are shown only under Rate Zone A, these rates are applicable to all such UNE service provided.



	The majorate is a control of the page							
	terms for the same of the same					-		مساء حاسانات
Physical		企业					ो ४, इ.स	المعلق عداما وأفاعه والا
Collection	Order Charge / Per Order		- [1	:		,	
ĺ	Central Office Floor Space / Per 100 Sq Ft				516.28			300.5
	Central Office Build Out / Per Initial 100 Sq Ft Fl Sp Request, Per C.O. Central Office Build Out / Per Addt. 100 Sq Ft Fl Sp Request, Per C.O.	↓		<u>:</u>			1	30,648.2
1	Cable Vaul Splicing / Per Initial Splice	 				_		11,926 1
İ	Cable Vaul Splicing / Per Subsequent Splice	+		:				209 7
	Splice Testing / Per Initial Splice Test	 	:	: -	 -	- <u>:</u>	-	15.5
	Splice Testing / Per Subsequent Splice Test			! - 	-	·	<u>:</u>	48.1
1	Cable Pulling from Manhole to Cable Vault / Per First Foot					· ;_	':	2.8
İ	Cable Pulling from Manhole to Cable Vault / Per Additional Fact Cable Pulling from Cable Vault to the Transmission Nade / Per Fret Fact	 			!	·		1.1
	Cable Pulling from Cable Vault to the Transmission Note / Per Additional Foot	 	-	 _		<u>: </u>	l!	84.9
	Riser Space / Per Foot	 		 		. <u>:</u>	=	l. 0.8
	Entrance Conduit / Per Inner Duct, Per Foot	 	_		0.06	· _	<u>!</u>	
	Power Consumption/Messurement Costs per Customer Arrangement			-	0.00	· ;-	1	<u>: </u>
	Power Consumption/Mentity Billing Costs per Customer Arrangement		=	I:	11.09	• ÷	'	2,911.8
	Power Consumption/Killewest Engineering Costs-Existing Arrangements Power Consumption / Per IVM-I (Restructured per Second Interim Order)	 		<u> </u>		· 	+	1: 272.4
	Power Delivery / Per Power Load	 		-	0.28		Ī	1
	200 Cond Electrical Cross Connect Block / Per Cross-Connection Block	 	<u>:</u>	<u>i </u>			-	1,802.0
	Digital Cross-Connect Panel (DSX) / Per DSX-3 Termination (1 DS3 Term)	 	-		64.25		<u>:</u>	:
	Oliginal Cross-Connect Panel (OSX) / Per DSX-1 Panel (Up to 56 DS1 Terms)	 			15.21	· -	.	-
	Optical Cross-Connect Panel (OCX) / Per OCX Panel Segment	_	-		5.84		<u>-</u>	
	Transmission Node Enclosure / Per Initial 100 Sq. FL						: -	4,844.4
	Transmission Hode Enclosure / Per AddT. 100 Sq. Ft	<u> </u>	<u>-</u>				-	1,631.5
	Passive Bay Termination (Includes Bay and Panel) / DS1 Termination Passive Bay Termination (Includes Bay and Panel) / DS3 Termination				0.57		-	1,001.3
	200 Cond Sec Term St. (Outside Transmission Hode) / Per Termination Block	 	-	<u>. </u>	7.29	-	 	1
	Digital Timing Source / Per Sync Signal Provided	 	<u></u>		54.25		<u> </u>	
	OS1 Repeater	 		1	12.81	<u>+</u>	<u></u>	
	DS3 Reporter	<u> </u>	5	!	5.95 34.51		—	<u> </u>
	Diverse Riser / Per Floor Traversed		<u> </u>	Ţ			 	-
/orange	Space Reservation/Change - Per Ea. Request					:-		501.96 801.93
Colocation	Service Order Charge / Per Order		i	Ţ				- 001.0.
	Optical Line - Entrance Facility / Per Foot	_	'	 -		<u>-</u> -	<u> </u>	115.26
	Optical Line - Riser / Space Per Foot	_			0.06			·
	Optical Line - Riser / Per Fiber Termination				1.51		<u> </u>	
	Optical Line - Cable Veut Spicing / Per Initial Splice		<u> </u>				!	209.7
	Optical Line - Cable Veust Splicing / Per Subsequent Splice Optical Line - Splicing Test / Per Initial Splice Test		+					15.50
	Optical Line - Splicing Test / Per Subsequent Splice Test	_		 			-	49.12
	Optical Line - Cable Pulling - Manhole to Vauli / Per First Fool		 	<u> </u>		<u>-</u>	<u> </u>	2.83
	Optical Line - Cable Pulling - Manhole to Vault / Per Additional Foot		-	 			!	227.60
	Optical Line - Cable Pulling - Vault to LGX Panel / Per First Foot			_		<u></u>	<u> </u>	1,14
	Optical Line - Cable Pulling - Vault to LGX Panel / Per Additional Foot		<u> </u>	:	 +	<u>, </u>	:	84.93
	Optical Line - Diverse Riser / Per Floor Traversed			<u> </u>		-		501.99
	7 Foot Equipment Bay (Company provided/installed) / Per Bay 7 Foot Equipment Bay(Cust provide/install/pre-packaged) / Per Bay		<u> </u>		26.26	F	:	452,34
	Project Management Fee - Installed on Initial or Subsequent Order / Per Initial 7' Say		-	-	22.34			
	Project Management Fee - Installed on Initial or Subsequent Order / Per Additional 7 Ray			+		:_		3,207,73
	Project Management Fee - Installed on Subsequent Order / Per Initial Shaff						: —	1,503.87
	Project Management Fee - Installed on Seme Subsequent Order / Per Additional Shelf					_		2,405.80
	Project Management Fee / Per Bay Rearrangement &/Dr Miscellaneous Work			<u></u>		, -		1,443.48
	Power Consumption / Per KWH (Restructured per HEPO \$11977) Power Delivery / Per 7' Bay Installed	<u>,</u>						1,924.64
	200 Cond Elect Cross-Connection Block / Per Block			<u>:</u>		;		1,802,03
	Digital Cross-Connect Panel (DSX) / Per DSX-3 Termination (1 DS3 Term)	_	-		64.25			
	Digital Cross-Connect Panel (DSX) / Per DSX-1 Panel (Up to 56 DS1 Terms)				15.21		<u>:</u>	
	Optical Cross-Connect Panel (OCX) / Per OCX Panel Segment				48.56 5.84	:	-	
	Digital Timing Source / Per Timing Circuit	_ ;			2.57	<u> </u>		
	Thru-Connect / Per DSX-1 to DSX-1		_		0.24	- ;-		7,13
CS4Cross	Thru-Connect / Per OCX to OCX 2 Wire Cross Connect	_			1.72			5. 7.13
	4 Wire Cross Connect			<u></u>	0.14	<u>.</u>		: 7,12
	6 Wire Cross Connect	:			0.31		!	1
	8 Wire Cross Connect	:	_	-	0.45	1		-
	DS1/LT-1 Cross Connect	_ :			0.62	<u>.</u>	1	
	DS3/LT-3 Cross Connect	:	_		0.43			
				<u></u>	υ. π α			